

ALFALFA

- Common Alfalfa
- Creeping Alfalfa
- Falcata Yellow Blossom Alfalfa
- Sholty Alfalfa
- Ladak Alfalfa
- Multi-Leaf Alfalfa
- Non-Dormant Alfalfa
- Vernal Alfalfa

Pre-inoculated available

BRASSICAS

- Hunter Brassica
- Pasja Brassica
- Winfred Brassica
- Cabbage
- Forage Collards
- Kale
- Mustard
- Purple Top Turnip
- Daikon Radish
- Graza Radish
- Rape Seed
- Sugar Beets
- Swede
- Barkant Turnip
- Forage Turnip
- Winter Camelina
- Winter Canola

CLOVERS

- Alsike Clover
- Arrowleaf Clover
- Balansa Clover
- Balansa Clover Fixation
- Berseem Clover
- Berseem Clover Frosty
- Crimson Clover
- Ladino White Clover
- Mammoth Red Clover
- Medium Red Clover
- Persian Clover
- Strawberry Clover
- White Blossom Sweet Clover
- White Clover
- White Dutch Clover
- Yellow Blossom Sweet Clover

Pre-inoculated available

FIELD GRASS SPECIES

- Creeping Foxtail Garrison
- Crested Wheatgrass Field Type
- Crested Wheatgrass Turf Type
- Festulolium
- Green Wheatgrass AC Saltlander
- Intermediate Wheatgrass
- Italian Ryegrass Tetilia
- Italian Ryegrass Green Spirit
- Kentucky Bluegrass
- Meadow Brome
- Meadow Fescue
- Orchardgrass Paiute



FIELD GRASS SPECIES

- Orchardgrass Early Maturing
- Orchardgrass Late Maturing
- Perennial Ryegrass
- Pubescent Wheatgrass
- Redtop
- Reed Canarygrass
- Smooth Brome
- Tall Fescue Fawn
- Tall Fescue Kentucky 31
- Tall Fescue STF 43
- Tall Wheatgrass
- Timothy

MISC. LEGUMES

- Annual Lespedeza
- Birdsfoot Trefoil
- Black Beans
- Chickling Vetch
- Cicer Milkvetch
- Common Vetch
- Cowpeas
- Crownvetch
- Faba Bean
- Hairy Vetch
- Lentils
- Mung Bean
- Sainfoin
- Sunn Hemp
- Winter Lentils
- Winter Peas

COOL-SEASON ANNUAL FORAGES

Forage Barley

- Barley Hays
- Barley Lavina

Forage Oats

- CDC Haymaker
- Everleaf Falcon & 126
- Goliath

Misc Broadleaves

- Chicory
- Flax
- Phacelia
- Plantain
- Small Burnet

Peas & Pea-Grain Blends

- Austrian Winter Peas
- Field Peas
- 4010 Forage Peas
- 60/40 Pea/Barley Mix
- 60/40 Pea/Oat Mix
- 60/40 Pea/Triticale Mix

Spring Triticale

- Sterile Triticale Quickguard
- Spring Triticale



WARM-SEASON ANNUAL FORAGES

Millet

- Brown Top Millet
- German Millet
- Japanese Millet
- BMR Pearl Millet
- Conventional Pearl Millet
- White Proso Millet
- Siberian Millet
- White Wonder Millet

Miscellaneous

- Buckwheat
- Crabgrass Mojo
- Grazing Corn
- Safflower
- Conventional Soybeans
- Teff Grass Moxie
- Teff Grass

Sorghum & Sorghum-Sudangrass

- Gunslinger BMR Sorghum-Sudangrass (Raw or Safened)
- Cowboy Sorghum-Sudangrass (Raw or Safened)
- Piper Sudangrass

WINTER ANNUAL FORAGES

Miscellaneous

- Winter Barley
- Winter Oats

WINTER ANNUAL FORAGES

Winter Triticale

- Flex 719
- Fridge
- Gainer 154
- Showtime
- SY 813
- FX10001

Forage Winter Wheat

- AP Baldy
- MTF 1435

SMALL GRAINS

Barley

• Barley (Uncertified)

Oats

- Buffalo (Certified)
- Goliath (Certified)
- Reins (Certified)
- Rushmore (Certified)
- Jerry (Uncertified)
- Morton (Uncertified)

Rye Grain

- SU Cossani (Hybrid Rye)
- SU Performer (Hybrid Rye)
- Rye Grain
- Elbon Rye Grain
- Hazlet Rye Grain
- Rye Grain (Certified)

Spring Wheat

- Hard Red Spring Wheat
- LCS Trigger
- MN Torgy



SMALL GRAINS

Hard Red Winter Wheat

- AP Bigfoot
- AP Solid
- AP24AX
- Brawl CL
- CP 7017AX
- CP 7869
- Killer Cover (Cover Crop Wheat)
- SY Monument
- SY Wolverine
- WB Grainfield
- WB4303
- WB4347
- WB4422
- WB4445CLP
- WB4510CLP
- WB4523
- WB4595
- WB4733CLP
- Winterhawk

Hard White Winter Wheat

- AP 401CL
- Aspen
- Breck
- Snowmass 2
- Windom SF

SWEET CORN

- Ambrosia (75 Day)
- Bodacious (75 Day)
- Delectable (84 Day)
- Incredible (85 Day)
- Sweetness (68 Day)

TURF

- Alkaligrass
- Annual Ryegrass
- Bahiagrass
- Bermudagrass
- Blue Fescue
- Chewings Fescue
- Creeping Bentgrass
- Creeping Red Fescue
- Hard Fescue
- Kentucky Bluegrass (Standard, Improved, Elite)
- Perennial Ryegrass Named Variety
- Perennial Ryegrass VNS
- Rough Bluegrass
- Sheep Fescue
- Turf Type Tall Fescue Turf Saver
 RTF
- Turf Type Tall Fescue Named Variety
- Turf Type Tall Fescue VNS



FOOD PLOT SPECIES

- Austrian Winter Peas
- Black Oats
- Buckwheat
- Chufa
- Clearfield Hybrid Sunflowers
- Collards
- Egyptian Wheat
- Forage Kochia
- Forage Soybeans (Conventional)
- Glyphosate-Tolerant Soybeans
- Grain Sorghum
- Hybrid Corn (Glyphosate-Tolerant)
- Kale
- Lablab
- Oats Buck Forage
- Peredovik Sunflower
- Rice
- Rutabaga
- Winter Oats



NATIVE GRASSES

- Alkali sacaton
- Altai wildrye
- American mannagrass
- Autumn bentgrass
- Beardless wildrye Shoshone
- Big bluegrass Sherman
- Big bluestem Bison, Bonilla, Bounty
- Big bluestem (local ecotype) MN Native, WI Native
- Big bluestem (southern variety) -Kaw, Pawnee, Rountree
- Blue grama Bad River
- Blue grama (local ecotype) MN Native
- Blue grama (southern variety) -Hachita
- Blue wildrye
- Bluebunch wheatgrass Anatone,
 Goldar
- Bottlebrush grass
- Bottlebrush squirreltail
- Broomsedge (native grass)
- Buffalograss Bowie, Cody, Texoka
- Buffalograss Sundancer
- Canada bluegrass
- Canada bluejoint
- Canada bluejoint (local ecotype) -MN Native
- Canada wildrye Mandan
- Canada wildrye (local ecotype) -IA Native
- Canby bluegrass

- Clustered fescue
- Dahurian wildrye
- Deertongue
- Eastern gamagrass
- Fowl bluegrass
- Fowl bluegrass (local ecotype)
- Fowl mannagrass
- Foxtail barley
- Fringed brome
- Fringed brome (local ecotype)
- Galleta grass Viva
- Great basin wildrye
- Green muhly
- Green needlegrass Lodorm
- Green needlegrass (local ecotype)
- Green sprangletop
- Idaho fescue
- Indian ricegrass Nezpar, Rimrock
- Indiangrass Tomahawk
- Indiangrass (local ecotype) MN Native
- Indiangrass (southern variety) -Cheyenne, Holt
- Inland saltgrass
- Little bluestem Aldous
- Little bluestem Badlands, Itasca
- Little bluestem (local ecotype) -MN Native
- Little bluestem (southern variety)
 - Blaze, Camper
- Meadow barley
- Mountain brome
- Muttongrass



NATIVE GRASSES

- Needle-and-thread grass
- Nuttall's alkaligrass
- Plains bristlegrass
- Porcupine grass
- Poverty oats
- Prairie brome
- Prairie cordgrass Red River
- Prairie cordgrass (local ecotype) -ND Native
- Prairie dropseed
- Prairie junegrass
- Prairie junegrass (local ecotype)
- Prairie sandreed Goshen
- Purple lovegrass
- Purple top tridens
- Rattlesnake grass
- Rice cutgrass
- River oats
- Riverbank wildrye
- Rocky mountain fescue
- Rough dropseed
- Russian wildrye Bozoisky
- Sand bluestem Chet, Goldstrike
- Sand dropseed
- Sand lovegrass Bend
- Sandberg bluegrass High Plains
- Scribner's rosette grass
- Siberian wheatgrass Stabilizer, Vavilov II
- Sideoats grama Butte, Pierre
- Sideoats grama (local ecotype) -MN Native
- Sideoats grama (southern variety)
 - El Reno

- Silky wildrye
- Slender wheatgrass Pryor, Revenue, San Luis
- Slender wheatgrass (local ecotype) MN Native
- Slender woodoats
- Slimstem reedgrass
- Snake river wheatgrass Secar
- Splitbeard bluestem
- Streambank wheatgrass Sodar
- Sweetgrass
- Switchgrass Alamo
- Switchgrass Cave-in-rock
- Switchgrass Dacotah,
 Forestburg, Sunburst
- Switchgrass Nebraska 28
- Switchgrass RC Big Rock
- Switchgrass RC Tecumseh
- Switchgrass (local ecotype) MN Native
- Switchgrass (southern variety) -Blackwell
- Thickspike wheatgrass Bannock, Critana
- Tufted hairgrass
- Virginia wildrye Tober, IA Native, MN Native
- Weeping lovegrass
- Western wheatgrass Rosana
- Western wheatgrass (southern variety) Arriba
- White top
- Wild rice



- American licorice
- American spikenard
- American vetch
- American vetch (local ecotype)
- American water horehound
- American water plantain
- Angelica
- Anise hyssop
- Annual sunflower
- Aromatic aster
- Arrowleaf balsamroot
- Arrow-leaved aster
- Arumleaf arrowhead
- Basin big sagebrush
- Bearded beggarticks
- Bishop's flower
- Black eyed susan
- Black eyed susan (local ecotype)
- Black greasewood
- Black sagebrush
- Blanketflower
- Blue flax
- Blue vervain
- Blue wild indigo
- Bog bean
- Boneset
- Boneset (local ecotype)
- Bottle gentian
- Brown-eyed Susan
- Bush morning glory
- Butterfly milkweed
- Butterfly milkweed (local ecotype)
- Buttonbush

- Calico aster
- Calico penstemon
- California poppy "orange"
- Canada anemone
- Canada germander
- Canada goldenrod
- Canada milkvetch
- Cardinal flower
- Clasping coneflower
- Columbine
- Common arrowhead
- Common beggartick
- Common milkweed
- Common ragweed
- Compass plant
- Cosmos
- Cow parsnip
- Cream gentian
- Cream wild indigo
- Crested pricklypoppy
- Crimsoneyed rosemallow
- Culver's root
- Cup plant
- Cup plant (local ecotype)
- Curlycup gumweed
- Daisy fleabane
- Dame's rocket
- Desert false indigo
- Ditch stonecrop
- Dotted blazingstar
- Douglas rabbit brush
- Downy gentian
- Downy painted cup



- Downy sunflower
- Dwarf blazingstar
- Dwarf red coreopsis
- Early figwort
- Early wild rose
- Engelmann's fleabane
- Englemann's daisy
- Evening primrose
- Evening primrose (local ecotype)
- False aster
- False boneset
- False gromwell
- False sunflower
- False sunflower (local ecotype)
- Fernleaf biscuitroot
- Field pussytoes
- Field thistle
- Flat-topped aster
- Flat-topped aster (local ecotype)
- Flowering spurge
- Forget-me-not
- Fourpoint evening primrose
- Fourwing saltbrush
- Foxglove beardtongue
- Foxtail prairie clover
- Fragrant false indigo
- French marigold
- Fringed gentian
- Fringed loosestrife
- Fringed sage
- Frost aster
- Gardner saltbush
- Giant goldenrod
- Giant ironweed

- Giant sunflower
- Gloriosa daisy
- Goats beard
- Golden alexanders
- Golden alexanders (local ecotype)
- Grass-leaved goldenrod
- Gray goldenrod
- Gray goldenrod (local ecotype)
- Grayhead coneflower
- Grayhead coneflower (local ecotype)
- Great blue lobelia
- Great St. John's wort
- Greater water dock
- Ground plum milkvetch
- Hairy beardtongue
- Hairy wood mint
- Halberdleaf rosemallow
- Heart-leaved golden alexanders
- Heath aster
- Hoary puccoon
- Hoary vervain
- Illinois bundleflower
- Illinois bundleflower (local ecotype)
- Illinois tick trefoil
- Indian blanket
- Ironweed
- Ironweed (local ecotype)
- Jerusalem artichoke
- Lambsquarter
- Lanceleaf blazingstar
- Lance-leaved coreopsis



- Lance-leaved coreopsis (local ecotype)
- Late figwort
- Lead plant
- Leafy prairie clover
- Lemon mint
- Lemon scurfpea
- Lewis flax
- Lindley's aster
- Low sage
- Mad dog skullcap
- Maiden pinks
- Maltesecross
- Marsh blazingstar
- Marsh marigold
- Maryland senna
- Maximilian sunflower
- Maximilian sunflower (local ecotype)
- Meadow blazingstar
- Mexican red hat coneflower
- Missouri goldenrod
- Missouri ironweed
- Missouri primrose
- Mist flower
- Monkey flower
- Mountain big sagebrush
- Mountain mint
- Munro's globemallow
- Narrowleaved purple coneflower
- New England aster
- New England aster (local ecotype)
- New Jersey tea
- Nodding bur marigold

- Nodding onion
- Northern bedstraw
- Northern blue flag iris
- Northern sweetvetch
- Northern water plantain
- Nuttall's sensitive briar
- Nuttall's sunflower
- Obedient plant
- Ohio horse mint
- Ohio spiderwort
- Orange coneflower
- Oxeye daisy
- Pale beardtongue
- Pale evening primrose
- Pale purple coneflower
- Pale spiked lobelia
- Palmer penstemon
- Panicled aster
- Partridge pea
- Partridge pea (local ecotype)
- Pasqueflower
- Pasture rose
- Perennial lupine
- Pickerel weed
- Pitcher sage
- Plains bee balm
- Plains coreopsis
- Plains coreopsis (local ecotype)
- Plains milkweed
- Plains snakecotton
- Plains sunflower
- Prairie alum root
- Prairie aster
- Prairie blazingstar



- Prairie blazingstar (local ecotype)
- Prairie blue eyed grass
- Prairie cinquefoil
- Prairie coneflower
- Prairie coneflower (local ecotype)
- Prairie dandelion
- Prairie dock
- Prairie larkspur
- Prairie lily
- Prairie milkweed
- Prairie onion
- Prairie phlox
- Prairie ragwort
- Prairie sage
- Prairie sage (local ecotype)
- Prairie smoke
- Prairie spiderwort
- Prairie trefoil
- Prairie turnip
- Prairie violet
- Prairie wild rose
- Purple coneflower
- Purple giant hyssop
- Purple locoweed
- Purple meadow rue
- Purple poppy mallow
- Purple prairie clover
- Rabbit brush
- Rattlesnake master
- Red corn poppy
- Red yarrow
- Riddell's goldenrod
- Rocky mountain beeplant
- Rocky mountain penstemon

- Rosin weed
- Rough blazingstar
- Rough purple gerardia
- Roundhead bush clover
- Roundhead bush clover (local ecotype)
- Royal catchfly
- Sand milkweed
- Sawtooth sunflower
- Scaly blazingstar
- Scarlet flax
- Scarlet globemallow
- Scarlet sage
- Seedbox
- Self-heal
- Shadscale
- Shasta daisy
- Shell leaf penstemon
- Shell leaf penstemon (local ecotype)
- Shooting star
- Showy deathcamas
- Showy evening primrose
- Showy goldenrod
- Showy goldenrod (local ecotype)
- Showy milkweed
- Showy tick trefoil
- Showy tick trefoil (local ecotype)
- Silky aster
- Silky prairie clover
- Silver lupine
- Silver sagebrush
- Silverleaf lupine
- Sky-blue aster



- Slender mountain mint
- Slender penstemon
- Slenderleaf false foxglove
- Smooth blue aster
- Snapdragon
- Sneezeweed
- Soapweed yucca
- Soapwort
- Southern blue flag iris
- Spotted bee balm
- Spotted joe pye weed
- Spotted St. John's wort
- Stiff goldenrod
- Stiff goldenrod (local ecotype)
- Stiff sunflower
- Stiff tickseed
- Sulphur cinquefoil
- Sulphur-flower buckwheat
- Swamp aster
- Swamp lousewort
- Swamp milkweed
- Swamp milkweed (local ecotype)
- Sweet black-eyed Susan
- Sweet cicely
- Sweet flag
- Sweet joe pye weed
- Tall bellflower
- Tall blue cornflower
- Tall boneset
- Tall coreopsis
- Tall meadow rue
- Tall swamp marigold
- Tall thimbleweed
- Tall thistle

- Tall white sweet alyssum
- Tapertip hawksbeard
- Texas bluebonnet
- Thimbleweed
- Tube penstemon
- Upland white aster
- Veiny pea
- Velvety gaura
- Virginia spiderwort
- Water parsnip
- Western ironweed
- Western snowberry
- Western wallflower
- Western yarrow
- White beardtongue
- White prairie clover
- White snakeroot
- White turtlehead
- White vervain
- White wild (false) indigo
- White yarrow
- Whorled milkweed
- Wild bergamot
- Wild bergamot (local ecotype)
- Wild four o'clock
- Wild garlic
- Wild geranium
- Wild golden glow
- Wild lupine
- Wild petunia
- Wild quinine
- Wild senna



- Wild senna (eastern origin)
- Willow-leaf sunflower
- Winged loosestrife
- Wingstem
- Winterfat
- Wood betony
- Woodland sunflower
- Wood's rose
- Wyeth buckwheat
- Wyoming big sagebrush
- Yellow beeplant

WETLAND SPECIES

- Alkali bulrush
- American sloughgrass
- Awl-fruited oval sedge
- Baltic rush
- Beaked sedge
- Bebb's sedge
- Bog panicled sedge
- Bristly sedge
- Broom sedge (wetland sedge)
- Brown fox sedge
- Brown fox sedge (local ecotype)
- Clustered field sedge
- Common fox sedge
- Common rush
- Creeping spike rush
- Creeping spike rush (western origin)
- Crested oval sedge
- Dark green bulrush
- Dudley's rush
- False bristly sedge
- Field oval sedge
- Frank's sedge
- Fringed sedge
- Giant bur reed
- Greater straw sedge
- Hard stemmed bulrush
- Hard stemmed bulrush (western origin)
- Heavy sedge
- Hop sedge
- Inland rush
- Knotted rush



WETLAND SPECIES

- Lake sedge
- Long beaked sedge
- Lurid sedge
- Meadow sedge
- Narrow-leaved cattail sedge
- Nebraska sedge
- Needle spike rush
- Pale bulrush
- Pale sedge
- Path rush
- Path rush (eastern origin)
- Pennsylvania sedge
- Pennsylvania smartweed
- Pennsylvania smartweed (eastern origin)
- Plains oval sedge
- Porcupine sedge
- Prairie sedge
- Prairie star sedge
- Red bulrush
- Rigid sedge
- River bulrush
- Running marsh sedge
- Short's sedge
- Slender bulrush
- Smoothcone sedge
- Softstem bulrush
- Softstem bulrush (western origin)
- Sun sedge
- Three square bulrush
- Three square bulrush (western origin)
- Torrey's rush
- Tussock sedge

- Water sedge
- Wheat sedge
- Wool grass
- Woolly sedge
- Yellowfruit sedge



INDUSTRY-LEADING LOGISTICS

Take advantage of our integrated seed

supply chain.

Capitalize on our extensive network and inventory with private label options, as well as cleaning, treating, mixing, and packaging services. From small pack to semis, we can take the logistical headaches off your plate and into our experts' hands.





RAPID NATIONAL DISTRIBUTION

Our large-scale distribution network can deliver seed within days of an order being placed.

EXTENSIVE BLENDING CAPABILITIES

Whether it's an intricate hand-mixed order or a 25,000-pound batch in our state-of-the-art Concetti system, we've got the tools and the team to handle it all.

DIVERSE SEED INVENTORY

1,200+ species of seed, including local ecotypes, allows us to meet your needs across all soil types and landscapes.

10	
Ų,	
_	
a	
_0	
_	
_	
_	
(I)	

180,000 ft² warehouse space	1 million bushels bin storage capacity	2,000+ quality tests analyzed annually
1,200+ species of seed	30+ million pounds annual mixing capacity	Impacting 3.5+ million acres annually

