



NE DOT EROSION CONTROL MIXTURE - CENTRAL & EASTERN FALL

All seed mixtures are designed in accordance with state-specific requirements.

Erosion Control – Central & Eastern	Minimum Purity (%)	Application rate in lb. of Pure Live Seed/1000 yd. ²
Perennial ryegrass – Linn, Norlea, Amazon	85	2.5
Western wheatgrass – Barton	85	1
Slender wheatgrass	85	1.25
Canada wildrye – Mandan, Homestead, NE or IA native	85	1
Kentucky fescue	85	3
Little bluestem – Aldous, Blaze, Camper	60	0.5
Sideoats grama – Butte, El Reno, Trailway, Pierre	75	0.75
Switchgrass – Trailblazer, Blackwell, Cave-in-Rock, Pathfinder	90	0.5
Sand dropseed (<i>Sporobolus cryptandrus</i>)	90	0.05
Indiangrass - Oto, NE-54, Holt, Chief	75	0.5
Prairie cordgrass (<i>Spartina pectinata</i>)	85	0.25
Indian blanket flower (<i>Gaillardia pulchella</i>)	80	0.2
Mexican red hat (<i>Ratibida columnifera</i> , red)	85	0.15
Blue flax (<i>Linum lewisii</i>)	85	0.4
Oats/wheat (wheat in the fall)	90	7